



SKU: S2224

PRIDE PATHRIDER 10 DELUXE MOBILITY SCOOTER

From: \$3,649.99

The sleek, sporty Pathrider 10 Deluxe scooter delivers smooth performance and all-new features. With a full complement of advanced standard features including, rugged suspension, a high-visibility automatic front and rear lighting system, feather-touch disassembly, an LED kerb light, and a wraparound easy-drive tiller, the Pathrider 10 Deluxe delivers greater value than ever before.



Scan QR code to view product online



PRODUCT DESCRIPTION

Key Features

- 159 kg weight capacity
- 157.5 cm turning radius
- Up to 8.5 km/h maximum speed
- Up to 25 km per charge
- Exclusive one-hand feather touch disassembly provides the ultimate quick transport system
- Easy-drive tiller with wraparound handles
- Back-lit battery gauge
- Front and rear suspension
- Lightweight pinch less hinge seat, eight position rotation, sliders, and viscoelastic foam inserts for increased comfort
- Easy-grip tiller adjustment knob
- Rear-view mirror (standard)
- Auto-connecting front-to-rear harness



ADDITIONAL INFORMATION

Weight Capacity 159 kg (350 lbs.)

Maximum Speed Up to 8.5 km/h (5 mph)

Ground Clearance 8.2 cm (3.2")

Turning Radius 157.5 cm (62")

Overall Length 119 cm (47")

Overall Width 56.5 cm (22")

Front Tyres 9 cm x 25 cm (3.5" x 10") solid

Rear Tyres 10 cm x 25 cm (4" x 10") solid

Suspension Front and Rear

Range Per Charge Up to 25 km (15.5 miles)

Total Weight Without

Batteries

63.5 kg (140 lbs.)

Heaviest Piece When

Disassembled

32 kg (71 lbs.) front section

Type: Reclining high-back seat

with headrest

Standard SeatingWeight: 13 kg (28 lbs.)

Material: Black Vinyl

Dimensions: Width: 46 cm (18")

Depth: 43 cm (17")

Motor Output 24-volt DC motor, sealed mini-transaxle

Brakes Electronic, regenerative and electromechanical



Battery Requirements

(2) 12V deep-cycle

Size: 35AH (standard) or 40 AH (optional)

Weight: 35 AH:15 kg (32.5 lbs.) each

40 AH:15 kg (32.5 lbs.) each

Battery Charger Off-board, 3-amp

Colour Viper Blue