



Reach for more

ActiveHeight $^{\text{\tiny{TM}}}$ and ActiveReach $^{\text{\tiny{TM}}}$ combine seamlessly to give you the ultimate advantage in accessing your environment. Seat elevation with integrated forward tilt creates the most innovative, functional, and stable seating solution on the market today.





M3 Corpus

Meticulously engineered to help you maintain better positioning, feel more secure, and reduce driving fatigue so you can conquer daily activities with ease. Its compact base offers manoeuverability in tight spaces without sacrificing performance. Featuring the innovative FlexLink suspension geometry with independent caster swing-arms helping to keep you stable and in control as you traverse the STRETCH-AIR breathable covers obstacles in your world. Up to 20° ActiveReach & 12" ActiveHeight

M5 Corpus







Accent options











Please note: Actual product colours may vary from colours shown in this brochure

*Liquid Fusion is currently only available on the Corpus VS models

Midnight

Arctic

Violet

Sky

Aqua


Spring

Sunset

Chili

Flamingo

Platinum



Specifications

-			
	M3 Corpus	M5 Corpus	M Corpus VS
Maximum user weight	150kg	150kg	120kg
Maximum speed	10km/h	10km/h	10km/h
Range	32.2km*	32.2km*	32.2km*
Base width	24"	25"	25"
Base length	35.5"	37.5"	36.5"
Base turning radius	20.5"	21.5"	22"
Ground clearance	3"	3"	3"
Recommended battery type	Group 24	Group 24	Group 24
Weight including batteries	184kg	192kg	193kg
Drive electronics	R-net 120A	R-net 120A	R-net Power Platform 120A
Seat-to-floor height	17.5", 18.5", 19.5"	17.5", 18.5", 19.5" [†]	17.5", 18.5", 19.5" [†]
Seat elevation	Optional 12"	Optional 14"	12"
Drive wheel	14"	14"	14"
Casters	7"	8"	7"
Tilt options	Posterior: 0° – 50° ActiveReach: 5°, 10° & 20° (up to 136kg)	Posterior: 0° – 50° ActiveReach: 5°, 10° & 20° (up to 136kg)	Posterior: 0° – 50° Standing
Legrest angle - power	85° – 180°	85° – 180°	85° – 180°
Backrest angle - power recline	85° – 180°	85° – 180°	85° – 180°
Backrest height	20", 23" - 28" (1" incr.)	20", 23" - 28" (1" incr.)	23" - 28" (1" incr.)
Seat depth	14" - 22" (1" incr.)	14" - 22" (1" incr.)	14" – 22" (1" incr.)
Seat width	17" - 23" (2" incr.)	17" – 23" (2" incr.)	17" – 23" (2" incr.)

^{*} Actual driving range will vary based on driving and battery conditions. | † Measured without cushion. | Specifications may vary based upon configuration. Please refer to your owners manual for warnings and instructions for the safe operation of your wheelchair in a variety of driving conditions. Chair weights are approximate and include base, batteries, power seat functions, and seating system without accessories.

