

todd.

Looks good with you.

GMFCS  
Level III-IVkg  
max. 80

75–175 cm

50–99 cm

30–84 cm

(-)0° – 15°




### I am your moveable standing trainer.


Using me, you can practice standing on your own. Regular standing trains your muscles and improves bone density. My body supports, which can be adapted in height, width and depth, can adapt to your body measurements. My two large wheels round me off perfectly. Using these, you can go anywhere – completely independently.



#### Flexible knee positioners (FKP)

are individually three-dimensionally adjustable. Length-adjustable contact straps adapt optimally to the shape of the knee.





**Pelvic frame**  
can simply be adjusted in depth using a crank.

Frame colours



Pure white



Melon yellow



Anthracite metallic



**Playing cards together at eye level is much more fun!**

|                                                                                  |     | Size 1             |            | Size 2       |            | Size 3     |                    | Size 4     |              |            |            |
|----------------------------------------------------------------------------------|-----|--------------------|------------|--------------|------------|------------|--------------------|------------|--------------|------------|------------|
| Body size                                                                        |     | 75 - 110 cm        |            | 100 - 130 cm |            |            | 120 - 155 cm       |            | 150 - 175 cm |            |            |
| Wheel size                                                                       |     | 24"                | 28"        | 30"          | 32"        | 36"        | 32"                | 36"        | 36"          | 40"        | 42"        |
| Grip height: footplate - hand rims at top                                        |     | 40 - 48 cm         | 50 - 58 cm | 57 - 65 cm   | 64 - 69 cm | 72 - 80 cm | 60 - 68 cm         | 71 - 79 cm | 82 - 90 cm   | 87 - 95 cm |            |
| Recommended from elbow height                                                    |     | 50 cm              | 60 cm      | 70 cm        | 80 cm      | 92 cm      | 82 cm              | 92 cm      |              | 97 cm      | 99 cm      |
| Width of hand rims at top                                                        | 0°  | -                  | -          | -            | -          | -          | 65 cm              |            | 67 cm        |            |            |
|                                                                                  | 3°  | -                  | -          | 54 cm        | 53 cm      | 52 cm      | 61 cm              | 60 cm      | 63 cm        | 62 cm      | 61 cm      |
|                                                                                  | 6°  | -                  | -          | 51 cm        | 49 cm      | 47 cm      | 57 cm              | 55 cm      | 59 cm        | 57 cm      | 56 cm      |
|                                                                                  | 9°  | 45 cm              | 44 cm      | 48 cm        | 45 cm      | 42 cm      | 54 cm              | 51 cm      | 55 cm        | 53 cm      | 51 cm      |
|                                                                                  | 12° | 42 cm              | 41 cm      | 45 cm        | 41 cm      | 38 cm      | -                  | -          | -            | -          | -          |
|                                                                                  | 15° | 40 cm              | -          | -            | -          | -          | -                  | -          | -            | -          | -          |
| Width of hand rims at bottom (min. - max.)                                       |     | 68 - 74 cm         | 70 - 73 cm | 71 - 83 cm   |            | 71 - 84 cm | 73 - 83 cm         | 73 - 85 cm | 76 - 86 cm   |            | 76 - 90 cm |
| Footplate height - centre of knee support pads                                   |     | 19 - 30 cm         |            | 28 - 36 cm   |            |            | 34 - 44 cm         |            | 42 - 51 cm   |            |            |
| Footplate height - buttocks support pad support                                  |     | 26 - 42 cm         |            | 43 - 58 cm   |            |            | 53 - 69 cm         |            | 65 - 80 cm   |            |            |
| Recommended for inside leg length                                                |     | 30 - 47 cm         |            | 48 - 63 cm   |            |            | 58 - 74 cm         |            | 70 - 84 cm   |            |            |
| Abduction split footplate                                                        |     | 0° - 6°            |            |              |            |            | 0° - 30°           |            |              |            |            |
| Abduction split footplate (with abducted basic model)                            |     | 0° - 40°           |            |              |            |            | -                  |            | -            |            |            |
| Pelvis depth*                                                                    |     | 11 - 24 cm         |            |              |            |            | 15 - 28,5 cm       |            |              |            |            |
| Pelvic depth** (adjustment range of the pelvic position by hand crank max. 6 cm) |     | 11 - 20 cm (+6 cm) |            |              |            |            | 15 - 27 cm (+6 cm) |            |              |            |            |
| Sternum height (Footplate height - centre of chest support pad)                  |     | 54 - 80 cm         |            | 68 - 101 cm  |            |            | 92 - 123 cm        |            | 111 - 140 cm |            |            |
| Tray height from footplate                                                       |     | 43 - 66 cm         |            | 61 - 79 cm   |            |            | 72 - 96 cm         |            | 92 - 110 cm  |            |            |
| Max. load                                                                        |     | 30 kg              |            | 45 kg        |            |            | 65 kg              |            | 80 kg        |            |            |
| Weight                                                                           |     | 28 kg              |            | 31 kg        |            |            | 38 kg              |            | 42 kg        |            |            |

\* with bracket for rear support pad (standard) \*\* with bracket for rear support pad (flip away)



**You can find more information on accessories**  
in the price list.

